

AMENDMENT TO THE CLAIMS

1. (currently amended) A computer-implemented method for controlling access to user interface elementfields in a point-of-sale system having a plurality of different user interface elementfields, the method comprising the steps of:

operating the point-of-sale system in a security setup mode of operation by:

accessing the plurality of user interface elementfields, wherein some of the user interface elementfields include a set of modifiable access properties that indicate a level of access needed to access that user interface elementfield;

establishing an access profile for each user of the point-of-sale system, the access profile indicates the level of access of user interface elementfields that each user is allowed to access; and

controlling a value in each user interface elementfield displayed on the point-of-sale system during a normal mode of operation by comparing the level of access indicated in the access profile of a user of the point-of-sale system with the level of access of each user interface elementfield ~~that is to be displayed~~.

2. (currently amended) The computer-implemented method of claim 1, wherein the access profile for each user of the point-of-sale system is indexed with the corresponding access properties for each said user interface elementfield to be displayed on the point of sale system.

3. (currently amended) The computer-implemented method of claim 1, wherein controlling ~~the~~ value in each user interface elementfield displayed on the point of sale system comprises displaying only those values in the user interface elementfields that have access property levels equal to or less than the level of access indicated in the access profile of the user.

4. (currently amended) The computer implemented method of claim 3 further comprising hiding the value in each user interface elements-field displayed on the point-of-sale system whose levels of access properties are greater than the levels of access indicated in the access profile of the user.

5. (currently amended) A point-of-sale system that controls access to user interface ~~elementfields~~, the point-of-sale system comprising:

an access control module configured to manage access of a plurality of user interface ~~elementfields~~ for each user of the point of sale system, the access control module comprising:

an access management module configured to allow an authorized administrator to set up access levels for user interface ~~elementfields~~ of the point-of-sale system;

an access control table configured to store access profiles for each user of the point-of-sale system as set up by the authorized administrator, each access profile indicates the level of access of user interface ~~elementfields~~ that each user is allowed to access; and

a display management module configured to instruct the point-of-sale system ~~which-if values in user interface elements-fields~~ should be rendered by comparing the access levels of each user interface ~~elementfield~~ to the access profile of a user.

6. (currently amended) The point-of-sale system of claim 5, further comprising a graphical user interface that contains one or more user interface ~~elementfields~~.

7. (canceled).

8. (currently amended) The point-of-sale system of claim 5, wherein access levels of the user interface ~~elementfields~~ and the access profile of each user can be interactively changed by the authorized administrator.

9. (currently amended) The point-of-sale system of claim 5, wherein each access profile stored in the access control table is indexed according to access levels of the user interface ~~elementfields~~.

10. (currently amended) The point-of-sale system of claim 5, wherein the display management module displays ~~only those~~values in user interface ~~element~~fields that have access levels equal to or less than the access levels of the access profile of the user.

11. (currently amended) in the point-of-sale system of claim 10, wherein the display management module hides values in user interface ~~element~~fields in the point-of-sale system where access levels of user interface ~~element~~fields are greater than the access levels indicated in the access profile of the user.

12. (currently amended) The computer-implemented method of claim 1, wherein accessing the plurality of user interface ~~element~~fields during operation of the point-of-sale system in a security setup mode comprises accessing user interface ~~element~~fields that are highlighted, wherein highlighted user interface ~~element~~fields are those user interface ~~element~~fields that include access properties that can be assigned a level of access.

13. (currently amended) The computer-implemented method of claim 1, wherein the access properties of a select user interface elementfield comprise:

a form name that identifies the name of the display window where the select user interface elementfield is located;

a control name that identifies the name of the select user interface elementfield;

a form class that identifies the type of form; and

an access level that identifies the level of access of the select user interface elementfield.

14. (currently amended) The computer-implemented method of claim 13, wherein the access level properties ~~that identifies-identify~~ the level of access of the select user interface elementfield further includes a disable read button and a disable change button, wherein if the disable read button is selected then a value in the select user interface elementfield will be hidden from the user and if the disable change button is selected then a value in the select user interface elementfield will be viewable to the user but can not be modified.

15. (new) The computer-implemented method of claim 1, wherein controlling the value in each user interface field comprises preventing the rendering of a value in a select user interface field if the level of access in the access profile of the user indicates that the user is precluded from accessing the select user interface field.

16. (new) The computer-implemented method of claim 1, wherein controlling the value in each user interface field comprises rendering a value in a select user interface field if the level of access in the access profile of the user indicates that the user has such privileges.

17. (new) The computer-implemented method of claim 16, wherein controlling the value of each user interface field comprises allowing the user to modify a value in a select user interface field if the level of access in the access profile of the user indicate the user has such privileges.

18. (new) The point-of-sale system of claim 5, wherein the display management module is configured prevent rendering a value in a select user interface field if the level of access in the

access profile of the user indicates that the user is precluded from accessing the select user interface field.

19. (new) The point-of-sale system of claim 5, wherein the display management module is configured to render a value in a select user interface field if the level of access in the access profile of the user indicates that the user has such privileges.

20. (new) The point-of-sale system of claim 19, wherein the display management module is configured to allow the user to modify a value in a select user interface field if the level of access in the access profile of the user indicates the user has such privileges.